

# Denotational semantics

*Semantics and Application to Program Verification*

Antoine Miné

École normale supérieure, Paris  
year 2015–2016

Course 4  
4 March 2016

## **Operational semantics** (state and trace) (last two weeks)

Defined as small execution steps, *(transition relation)*  
over low-level internal configurations. *(states)*

Transitions are chained to define maximal traces.

## **Denotational semantics** (today)

Direct functions from programs to mathematical objects, *(denotations)*  
defined by induction on the program syntax, *(compositional)*  
ignoring intermediate steps and execution details. *(no state)*

⇒ Higher-level, more abstract, more modular.

Tries to decouple a program meaning from its execution.

Focus on the mathematical structures that represent programs.

(founded by Strachey and Scott in the 70s: [Scott-Strachey71])

**“Assembly”** semantics vs. **“Functional programming”** semantics.

often: semantics for practical verification vs. semantics for computer theorists

# Two very different programs

## Bubble sort in C

```
int swapped;
do {
    swapped = 0;
    for (int i=1; i<n; i++) {
        if (a[i-1] > a[i]) {
            swap(&a[i-1], &a[i]);
            swapped = 1;
        }
    }
} while (swapped);
```

## Quick sort in OCaml

```
let rec sort = function
| [] -> []
| a::rest ->
    let lo, hi =
        List.partition
            (fun y -> y < x) rest
    in
    (sort lo) @ [x] @ (sort hi)
```

- different **languages** (C / OCaml)
- different **algorithms** (bubble sort / quick sort)
- different **programming principles** (loop / recursion)
- different **data-types** (array / list)

Can we give them the same semantics?

- **imperative programs**

effect of a program: mutate a memory state

natural denotation: **input/output function**

domain  $\mathcal{D} \simeq \text{memory} \rightarrow \text{memory}$

challenge: build a whole program denotation

from denotations of atomic language constructs (**modularity**)

- **functional programs**

effect of a program: return a value (without any side-effect)

model a program of type  $a \rightarrow b$  as a **function in  $\mathcal{D}_a \rightarrow \mathcal{D}_b$**

challenge: choose  $\mathcal{D}$  to allow **polymorphic** or **untyped** languages

- other paradigms: parallel, probabilistic, etc.

$\implies$  very rich theory of mathematical structures

Scott domains, cartesian closed categories, coherent spaces, event structures, game semantics, etc. We will not present them in this overview!

- **Imperative programs**
  - IMP: **deterministic** programs
  - NIMP: handling **non-determinism**
  - **linking** denotational and operational semantics
- **Higher-order programs**
  - PCF : monomorphic **typed** programs
  - linking denotational and operational semantics: **full abstraction**
  - **untyped  $\lambda$ -calculus**: **recursive domain equations**
- **Practical session** (room INFO 4)
  - **program** the denotational semantics of a simple imperative (non-)deterministic language (IMP, NIMP)

# Deterministic imperative programs

---

# A simple imperative language: IMP

## IMP expressions

$expr$	$::=$	$X$	(variable)
		$c$	(constant)
		$\diamond expr$	(unary operation)
		$expr \diamond expr$	(binary operation)

- variables in a fixed set  $X \in \mathbb{V}$
- constants  $\mathbb{I} \stackrel{\text{def}}{=} \mathbb{B} \cup \mathbb{Z}$ :
  - booleans  $\mathbb{B} \stackrel{\text{def}}{=} \{\text{true}, \text{false}\}$
  - integers  $\mathbb{Z}$
- operations  $\diamond$ :
  - integer operations:  $+$ ,  $-$ ,  $\times$ ,  $/$ ,  $<$ ,  $\leq$
  - boolean operations:  $\neg$ ,  $\wedge$ ,  $\vee$
  - polymorphic operations:  $=$ ,  $\neq$

# A simple imperative language: IMP

## Statements

<i>stat</i>	::=	<b>skip</b>	( <i>do nothing</i> )
		$X \leftarrow expr$	( <i>assignment</i> )
		<i>stat</i> ; <i>stat</i>	( <i>sequence</i> )
		<b>if</b> <i>expr</i> <b>then</b> <i>stat</i> <b>else</b> <i>stat</i>	( <i>conditional</i> )
		<b>while</b> <i>expr</i> <b>do</b> <i>stat</i>	( <i>loop</i> )

(inspired from the presentation in [Benton96])



# Expression semantics

$E[\text{expr}] : \mathcal{E} \rightarrow \mathbb{V}$

- environments  $\mathcal{E} \stackrel{\text{def}}{=} \mathbb{V} \rightarrow \mathbb{V}$  map variables in  $\mathbb{V}$  to values in  $\mathbb{V}$
- $E[\text{expr}]$  returns a value in  $\mathbb{V}$
- $\rightarrow$  denotes partial functions (as opposed to  $\rightarrow$ )  
necessary because some operations are undefined
  - $1 + \text{true}$ ,  $1 \wedge 2$  (type mismatch)
  - $3/0$  (invalid value)
- defined by structural induction on abstract syntax trees  
(next slide)

when we use the notation  $X[\text{y}]$ ,  $y$  is a syntactic object;  $X$  serves to distinguish between different semantic functions with different signatures, often varying with the kind of syntactic object  $y$  (expression, statement, etc.);  
 $X[\text{y}]z$  is the application of the function  $X[\text{y}]$  to the object  $z$

# Expression semantics

$E[\text{expr}] : \mathcal{E} \rightarrow \mathbb{I}$

$E[c] \rho$	$\stackrel{\text{def}}{=} c$	$\in \mathbb{I}$	
$E[V] \rho$	$\stackrel{\text{def}}{=} \rho(V)$	$\in \mathbb{I}$	
$E[-e] \rho$	$\stackrel{\text{def}}{=} -v$	$\in \mathbb{Z}$	if $v = E[e] \rho \in \mathbb{Z}$
$E[\neg e] \rho$	$\stackrel{\text{def}}{=} \neg v$	$\in \mathbb{B}$	if $v = E[e] \rho \in \mathbb{B}$
$E[e_1 + e_2] \rho$	$\stackrel{\text{def}}{=} v_1 + v_2$	$\in \mathbb{Z}$	if $v_1 = E[e_1] \rho \in \mathbb{Z}, v_2 = E[e_2] \rho \in \mathbb{Z}$
$E[e_1 - e_2] \rho$	$\stackrel{\text{def}}{=} v_1 - v_2$	$\in \mathbb{Z}$	if $v_1 = E[e_1] \rho \in \mathbb{Z}, v_2 = E[e_2] \rho \in \mathbb{Z}$
$E[e_1 \times e_2] \rho$	$\stackrel{\text{def}}{=} v_1 \times v_2$	$\in \mathbb{Z}$	if $v_1 = E[e_1] \rho \in \mathbb{Z}, v_2 = E[e_2] \rho \in \mathbb{Z}$
$E[e_1/e_2] \rho$	$\stackrel{\text{def}}{=} v_1/v_2$	$\in \mathbb{Z}$	if $v_1 = E[e_1] \rho \in \mathbb{Z}, v_2 = E[e_2] \rho \in \mathbb{Z} \setminus \{0\}$
$E[e_1 \wedge e_2] \rho$	$\stackrel{\text{def}}{=} v_1 \wedge v_2$	$\in \mathbb{B}$	if $v_1 = E[e_1] \rho \in \mathbb{B}, v_2 = E[e_2] \rho \in \mathbb{B}$
$E[e_1 \vee e_2] \rho$	$\stackrel{\text{def}}{=} v_1 \vee v_2$	$\in \mathbb{B}$	if $v_1 = E[e_1] \rho \in \mathbb{B}, v_2 = E[e_2] \rho \in \mathbb{B}$
$E[e_1 < e_2] \rho$	$\stackrel{\text{def}}{=} v_1 < v_2$	$\in \mathbb{B}$	if $v_1 = E[e_1] \rho \in \mathbb{Z}, v_2 = E[e_2] \rho \in \mathbb{Z}$
$E[e_1 \leq e_2] \rho$	$\stackrel{\text{def}}{=} v_1 \leq v_2$	$\in \mathbb{B}$	if $v_1 = E[e_1] \rho \in \mathbb{Z}, v_2 = E[e_2] \rho \in \mathbb{Z}$
$E[e_1 = e_2] \rho$	$\stackrel{\text{def}}{=} v_1 = v_2$	$\in \mathbb{B}$	if $v_1 = E[e_1] \rho \in \mathbb{I}, v_2 = E[e_2] \rho \in \mathbb{I}$
$E[e_1 \neq e_2] \rho$	$\stackrel{\text{def}}{=} v_1 \neq v_2$	$\in \mathbb{B}$	if $v_1 = E[e_1] \rho \in \mathbb{I}, v_2 = E[e_2] \rho \in \mathbb{I}$

undefined otherwise

# Statement semantics

$$\underline{S[\textit{stat}]} : \mathcal{E} \rightarrow \mathcal{E}$$

- maps an environment before the statement to an environment after the statement
- partial function due to
  - errors in expressions
  - non-termination
- also defined by structural induction

# Statement semantics

$$S[\textit{stat}] : \mathcal{E} \rightarrow \mathcal{E}$$

- **skip**: do nothing

$$S[\textit{skip}] \rho \stackrel{\text{def}}{=} \rho$$

- **assignment**: evaluate expression and mutate environment

$$S[X \leftarrow e] \rho \stackrel{\text{def}}{=} \rho[X \mapsto v] \quad \text{if } E[e] \rho = v$$

- **sequence**: function composition

$$S[s_1; s_2] \stackrel{\text{def}}{=} S[s_2] \circ S[s_1]$$

- **conditional**

$$S[\textit{if } e \textit{ then } s_1 \textit{ else } s_2] \rho \stackrel{\text{def}}{=} \begin{cases} S[s_1] \rho & \text{if } E[e] \rho = \text{true} \\ S[s_2] \rho & \text{if } E[e] \rho = \text{false} \\ \text{undefined} & \text{otherwise} \end{cases}$$

$f[x \mapsto y]$  denotes the function that maps  $x$  to  $y$ , and any  $z \neq x$  to  $f(z)$

## Statement semantics: loops

## How do we handle loops?

The semantics of loops must satisfy:


$$S[\mathbf{while\ } e \mathbf{\ do\ } s] \rho = \begin{cases} \rho & \text{if } E[e] \rho = \text{false} \\ S[\mathbf{while\ } e \mathbf{\ do\ } s] (S[s] \rho) & \text{if } E[e] \rho = \text{true} \\ \text{undefined} & \text{otherwise} \end{cases}$$

This is a **recursive definition**; we must prove that:

- the equation has solution(s);
- in case there are several solutions, there is a single “right” one;

⇒ we use **fixpoints** of operators over **partially ordered sets**.

## Flat orders and partial functions



Flat ordering  $(\perp, \sqsubseteq)$  on  $\mathbb{I}$ :

- $\mathbb{I}_\perp \stackrel{\text{def}}{=} \mathbb{I} \cup \{\perp\}$  (pointed set)
- $a \sqsubseteq b \stackrel{\text{def}}{\iff} a = \perp \vee a = b$  (partial order)
- every chain is finite, and so has a **lub**  $\sqcup$   
 $\implies$  it is a **pointed complete partial order** (cpo)

$\perp$  denotes the value “**undefined**” ( $\sqsubseteq$  is an information order)

Similarly for  $\mathcal{E}_\perp \stackrel{\text{def}}{=} \mathcal{E} \cup \{\perp\}$ .

Note that  $(\mathcal{E} \rightarrow \mathcal{E}) \simeq (\mathcal{E} \rightarrow \mathcal{E}_\perp)$

$\implies$  we will now **use total functions only**.

# Poset of continuous partial functions

Partial order structure on partial functions  $(\mathcal{E}_\perp \xrightarrow{c} \mathcal{E}_\perp, \sqsubseteq)$

- $\mathcal{E}_\perp \rightarrow \mathcal{E}_\perp$  extends  $\mathcal{E} \rightarrow \mathcal{E}_\perp$ 
  - domain = co-domain  $\implies$  allows **composition**  $\circ$
  - $f \in \mathcal{E} \rightarrow \mathcal{E}_\perp$  extended with  $f(\perp) \stackrel{\text{def}}{=} \perp$  (strictness)
    - $\implies$  if  $S[[s]]x$  is undefined, so is  $(S[[s']] \circ S[[s]])x$
    - such functions are **monotonic and continuous**  
 $(a \sqsubseteq b \implies f(a) \sqsubseteq f(b))$  and  $f(\sqcup X) = \sqcup \{f(x) \mid x \in X\}$
    - $\implies$  we restrict  $\mathcal{E}_\perp \rightarrow \mathcal{E}_\perp$  to **continuous functions**:  $\mathcal{E}_\perp \xrightarrow{c} \mathcal{E}_\perp$
- point-wise order  $\sqsubseteq$  on functions  
 $f \sqsubseteq g \stackrel{\text{def}}{\iff} \forall x: f(x) \sqsubseteq g(x)$
- $\mathcal{E}_\perp \xrightarrow{c} \mathcal{E}_\perp$  has a **least element**:  $\perp \stackrel{\text{def}}{=} \lambda x. \perp$
- by point-wise lub  $\sqcup$  of chains, it is also **complete**  $\implies$  a **cpo**  
 $\sqcup F = \lambda x. \sqcup \{f(x) \mid f \in F\}$

# Fixpoint semantics of loops

To solve the semantic equation, we use a **fixpoint** of a functional.

We use actually the **least fixpoint**. (most precise for the information order)

$$S[\mathbf{while} \ e \ \mathbf{do} \ s] \stackrel{\text{def}}{=} \text{lfp } F$$

where :  $F : (\mathcal{E}_\perp \rightarrow \mathcal{E}_\perp) \rightarrow (\mathcal{E}_\perp \rightarrow \mathcal{E}_\perp)$

$$F(f)(\rho) = \begin{cases} \rho & \text{if } E[e] \rho = \text{false} \\ f(S[s] \rho) & \text{if } E[e] \rho = \text{true} \\ \perp & \text{otherwise} \end{cases}$$

## Theorem

$\text{lfp } F$  is well-defined

remember our equation on  $S[\mathbf{while} \ e \ \mathbf{do} \ s]$ ?

it can be rewritten exactly as:  $S[\mathbf{while} \ e \ \mathbf{do} \ s] = F(S[\mathbf{while} \ e \ \mathbf{do} \ s])$



# Fixpoint semantics of loops (proof sketch)

Recall **Kleene's** theorem:

## Kleene's theorem

A continuous function on a cpo has a least fixpoint

To use the theorem we prove that  $S[[stat]]$  is **continuous** (and is well-defined) by induction on the syntax of  $stat$ :

- base cases:  $S[[skip]]$  and  $S[[X \leftarrow e]]$  are continuous
- $S[[if\ e\ then\ s_1\ else\ s_2]]$ : by induction hypothesis, as  $S[[s_1]]$  and  $S[[s_2]]$  are continuous
- $S[[s_1; s_2]]$ : by induction hypotheses and because  $\circ$  respects continuity
- $F$  is continuous in  $(\mathcal{E}_\perp \xrightarrow{c} \mathcal{E}_\perp) \xrightarrow{c} (\mathcal{E}_\perp \xrightarrow{c} \mathcal{E}_\perp)$  by induction hypotheses  $\implies \text{lfp } F$  exists by Kleene's theorem

moreover,  $\text{lfp } F$  is continuous (simple consequence of Kleene's proof)  
 $\implies S[[while\ e\ do\ s]]$  is continuous

## Join semantics of loops

Recall another fact about Kleene's fixpoints:  $\text{lfp } F = \bigsqcup_{n \in \mathbb{N}} F^n(\perp)$

- $F^0(\perp) = \perp$  is completely **undefined** (no information)

- $F^1(\perp)(\rho) = \begin{cases} \rho & \text{if } E[e] \rho = \text{false} \\ \perp & \text{otherwise} \end{cases}$   
environment if the loop is **never entered** (partial information)

- $F^2(\perp)(\rho) = \begin{cases} \rho & \text{if } E[e] \rho = \text{false} \\ S[s] \rho & \text{else if } E[e] (S[s] \rho) = \text{false} \\ \perp & \text{otherwise} \end{cases}$   
environment if the loop is iterated **at most once**

- $F^n(\perp)(\rho)$   
environment if the loop is iterated **at most  $n - 1$  times**

- $\bigsqcup_{n \in \mathbb{N}} F^n(\perp)$   
environment when exiting the loop  
**whatever the number of iterations** (total information)

# Error vs. non-termination

In our semantics  $S[[stat]]\rho = \perp$  can mean:

- either *stat* starting on input  $\rho$  loops for ever
- or it stops prematurely with an error

Note : we could distinguish between the two cases by :

- adding an **error value**  $\Omega$ , distinct from  $\perp$
- propagating it in the semantics, bypassing computations (no further computation after an error)

# Summary

Rewriting the semantics using total functions on cpos with  $\perp$ :

- $E[\![ \text{expr} ]\!] : \mathcal{E}_\perp \xrightarrow{c} \mathbb{I}_\perp$   
returns  $\perp$  for an error or if its argument is  $\perp$
- $S[\![ \text{stat} ]\!] : \mathcal{E}_\perp \xrightarrow{c} \mathcal{E}_\perp$ 
  - $S[\![ \text{skip} ]\!] \rho \stackrel{\text{def}}{=} \rho$
  - $S[\![ e_1; e_2 ]\!] \stackrel{\text{def}}{=} S[\![ e_2 ]\!] \circ S[\![ e_1 ]\!]$
  - $S[\![ X \leftarrow e ]\!] \rho \stackrel{\text{def}}{=} \begin{cases} \perp & \text{if } E[\![ e ]\!] \rho = \perp \\ \rho[X \mapsto E[\![ e ]\!] \rho] & \text{otherwise} \end{cases}$
  - $S[\![ \text{if } e \text{ then } s_1 \text{ else } s_2 ]\!] \rho \stackrel{\text{def}}{=} \begin{cases} S[\![ s_1 ]\!] \rho & \text{if } E[\![ e ]\!] \rho = \text{true} \\ S[\![ s_2 ]\!] \rho & \text{if } E[\![ e ]\!] \rho = \text{false} \\ \perp & \text{otherwise} \end{cases}$
  - $S[\![ \text{while } e \text{ do } s ]\!] \stackrel{\text{def}}{=} \text{lfp } F$   
where  $F(f)(\rho) = \begin{cases} \rho & \text{if } E[\![ e ]\!] \rho = \text{false} \\ f(S[\![ s ]\!] \rho) & \text{if } E[\![ e ]\!] \rho = \text{true} \\ \perp & \text{otherwise} \end{cases}$

# Non-determinism

---

# Why non-determinism?

It is useful to consider non-deterministic programs, to:

- model partially **unknown** environments (user input)
- abstract away **unknown** program parts (libraries)
- abstract away **too complex** parts (rounding errors in floats)
- handle a **set of programs** as a single one (parametric programs)

## Kinds of non-determinism

- data non-determinism:  $expr ::= \mathbf{random}()$
- control non-determinism:  $stat ::= \mathbf{either } s_1 \mathbf{ or } s_2$   
but we can write “**either**  $s_1$  **or**  $s_2$ ” as “**if**  $\mathbf{random}() = 0$  **then**  $s_1$  **else**  $s_2$ ”

## Consequence on semantics and verification

we want to verify **all** the possible executions

$\implies$  the semantics should express **all** the possible executions

# Modified language

We extend **IMP** to **NIMP**,  
an imperative language with non-determinism.

## NIMP language

$expr$	$::=$	$X$	(variable)
		$c$	(constant)
		$[c_1, c_2]$	(constant interval)
		$\diamond expr$	(unary operation)
		$expr \diamond expr$	(binary operation)

**NIMP** has the same statements as **IMP**

$c_1 \in \mathbb{Z} \cup \{-\infty\}$ ,  $c_2 \in \mathbb{Z} \cup \{+\infty\}$

$[c_1, c_2]$  means: return a fresh random value between  $c_1$  and  $c_2$  each time the expression is evaluated

Question: is  $[0, 1] = [0, 1]$  true or false?

# Expression semantics

$$E[\text{expr}] : \mathcal{E} \rightarrow \mathcal{P}(\mathbb{I})$$

$E[V] \rho$	$\stackrel{\text{def}}{=}$	$\{\rho(V)\}$
$E[c] \rho$	$\stackrel{\text{def}}{=}$	$\{c\}$
$E[[c_1, c_2]] \rho$	$\stackrel{\text{def}}{=}$	$\{c \in \mathbb{Z} \mid c_1 \leq c \leq c_2\}$
$E[-e] \rho$	$\stackrel{\text{def}}{=}$	$\{-v \mid v \in E[e] \rho \cap \mathbb{Z}\}$
$E[\neg e] \rho$	$\stackrel{\text{def}}{=}$	$\{\neg v \mid v \in E[e] \rho \cap \mathbb{B}\}$
$E[e_1 + e_2] \rho$	$\stackrel{\text{def}}{=}$	$\{v_1 + v_2 \mid v_1 \in E[e_1] \rho \cap \mathbb{Z}, v_2 \in E[e_2] \rho \cap \mathbb{Z}\}$
$E[e_1/e_2] \rho$	$\stackrel{\text{def}}{=}$	$\{v_1/v_2 \mid v_1 \in E[e_1] \rho \cap \mathbb{Z}, v_2 \in E[e_2] \rho \cap \mathbb{Z} \setminus \{0\}\}$
$E[e_1 < e_2] \rho$	$\stackrel{\text{def}}{=}$	$\{\text{true} \mid \exists v_1 \in E[e_1] \rho, v_2 \in E[e_2] \rho: v_1 \in \mathbb{Z}, v_2 \in \mathbb{Z}, v_1 < v_2\} \cup$ $\{\text{false} \mid \exists v_1 \in E[e_1] \rho, v_2 \in E[e_2] \rho: v_1 \in \mathbb{Z}, v_2 \in \mathbb{Z}, v_1 \geq v_2\}$
...		

- we output a **set** of values, to account for non-determinism
- we can have  $E[e] \rho = \emptyset$  due to **errors**  
 (no need for a special  $\Omega$  nor  $\perp$  element)



# Statement semantic domain

## Semantic domain:

- a statement can output a **set** of environments  
 $\implies$  use  $\mathcal{E} \rightarrow \mathcal{P}(\mathcal{E})$
- to allow composition, extend it to  $\mathcal{P}(\mathcal{E}) \rightarrow \mathcal{P}(\mathcal{E})$
- non-termination and errors can be modeled by  $\emptyset$   
(no need for a special  $\Omega$  nor  $\perp$  element)

# Statement semantics

$$S[\textit{stat}] : \mathcal{P}(\mathcal{E}) \rightarrow \mathcal{P}(\mathcal{E})$$

- $S[\textit{skip}] R \stackrel{\text{def}}{=} R$
- $S[s_1; s_2] \stackrel{\text{def}}{=} S[s_2] \circ S[s_1]$
- $S[X \leftarrow e] R \stackrel{\text{def}}{=} \{ \rho[X \mapsto v] \mid \rho \in R, v \in E[e] \rho \}$ 
  - pick an environment  $\rho$
  - pick an expression value  $v$  in  $E[e] \rho$
  - generate an updated environment  $\rho[X \mapsto v]$
- $S[\textit{if } e \textit{ then } s_1 \textit{ else } s_2] R \stackrel{\text{def}}{=} S[s_1] \{ \rho \in R \mid \textit{true} \in E[e] \rho \} \cup S[s_2] \{ \rho \in R \mid \textit{false} \in E[e] \rho \}$ 
  - filter environments according to the value of  $e$
  - execute **both** branch **independently**
  - **join** them with  $\cup$

# Statement semantics

- $S[\text{while } e \text{ do } s] R \stackrel{\text{def}}{=} \{ \rho \in \text{lfp } F \mid \text{false} \in E[e] \rho \}$   
 where  $F(X) \stackrel{\text{def}}{=} R \cup S[s] \{ \rho \in X \mid \text{true} \in E[e] \rho \}$

Justification:  $\text{lfp } F$  exists

- $(\mathcal{P}(\mathcal{E}), \subseteq, \cup, \cap, \emptyset, \mathcal{E})$  forms a **complete lattice**
- all semantic functions and  $F$  are **monotonic** and **continuous**  
 in fact, they are strict complete join morphisms  
 $S[s] (\cup_{i \in \Delta} X_i) = \cup_{i \in \Delta} S[s] X_i$  and  $S[s] \emptyset = \emptyset$   
 which we write as  $S[s] \in \mathcal{P}(\mathcal{E}) \xrightarrow{\cup} \mathcal{P}(\mathcal{E})$   
 it is really the *image function* of a function in  $\mathcal{E} \rightarrow \mathcal{P}(\mathcal{E})$   
 $S[s] X = \cup \{ S[s] \{x\} \mid x \in X \}$
- we can apply both Kleene's and Tarksi's fixpoint theorems

# Join semantics of loops

- $S[\text{while } e \text{ do } s] R \stackrel{\text{def}}{=} \{\rho \in \text{lfp } F \mid \text{false} \in E[e] \rho\}$   
 where  $F(X) \stackrel{\text{def}}{=} R \cup S[s] \{\rho \in X \mid \text{true} \in E[e] \rho\}$

( $F$  applies a loop iteration to  $X$  and adds back the environments  $R$  before the loop)

Recall that  $\text{lfp } F = \bigcup_{n \in \mathbb{N}} F^n(\emptyset)$

- $F^0(\emptyset) = \emptyset$
- $F^1(\emptyset) = R$   
 environments before entering the loop
- $F^2(\emptyset) = R \cup S[s] \{\rho \in R \mid \text{true} \in E[e] \rho\}$   
 environments after zero or one loop iteration
- $F^n(\emptyset)$  : environments after at most  $n - 1$  loop iterations  
 (just before testing the condition to determine if we should iterate a  $n$ -th time)
- $\bigcup_{n \in \mathbb{N}} F^n(\emptyset)$ : **loop invariant**

# “Angelic” non-determinism and termination

If *stat* is **deterministic** (no  $[c_1, c_2]$  in expressions)

the semantics is **equivalent** to our semantics on  $\mathcal{E}_\perp \xrightarrow{c} \mathcal{E}_\perp$

Justification:  $(\{E \subseteq \mathcal{E} \mid |E| \leq 1\}, \subseteq, \cup, \emptyset)$  is isomorphic to  $(\mathcal{E}_\perp, \sqsubseteq, \sqcup, \perp)$

In general, we can have several outputs for  $S[\![stat]\!] \{\rho\} \subseteq \mathcal{E} \cup \{\Omega\}$ :

- $\emptyset$ : the program never terminates at all
- $\{\Omega\}$ : the program never terminates correctly
- $R \subseteq \mathcal{E} \setminus \{\Omega\}$ : when the program terminates, it terminates correctly, in an environment in  $R$


$\implies$  we cannot express that a program always terminates!

This is called the “**Angelic**” semantics, useful for **partial correctness**.


# Note on non-determinism and termination

Other (more complex) ways to mix non-termination and non-determinism exist


Based on **distinguishing  $\emptyset$  and  $\perp$** , and on **different order relations  $\sqsubseteq$**



powerset order  
angelic semantics



mixed order  
natural semantics



Egli-Milner order  
natural semantics

(this is a complex subject, we will say no more)

# Link between operational and denotational semantics

---

# Motivation

Are the operational and denotational semantics consistent with each other?

Note that:

- systems are actually described **operationally**  
(previous courses)
- the denotational semantics is a **more abstract** representation  
(more suitable for some reasoning on the system)

⇒ the denotational semantics must be proven faithful  
(in some sense) to the operational model to be of any use



# Transition systems for our non-deterministic language

## Labelled syntax

$$\begin{array}{l}
 {}^{\ell}stat^{\ell} ::= {}^{\ell}skip \\
 \quad | \quad {}^{\ell}X \leftarrow expr^{\ell} \\
 \quad | \quad {}^{\ell}if\ expr\ then\ {}^{\ell}stat\ else\ {}^{\ell}stat^{\ell} \\
 \quad | \quad {}^{\ell}while\ {}^{\ell}expr\ do\ {}^{\ell}stat^{\ell} \\
 \quad | \quad {}^{\ell}stat; {}^{\ell}stat^{\ell}
 \end{array}$$

$\ell \in \mathcal{L}$ : control labels

- statements are decorated with **unique control labels**  $\ell \in \mathcal{L}$
- program configurations in  $\Sigma \stackrel{\text{def}}{=} \mathcal{L} \times \mathcal{E}$   
(lower-level than  $\mathcal{E}$ : we must track program locations)
- transition relation  $\tau \subseteq \Sigma \times \Sigma$   
models atomic execution steps

# Transition systems for our language

$\tau$  is defined by induction on the syntax of statements  
 $(\sigma, \sigma') \in \tau$  is denoted as  $\sigma \rightarrow \sigma'$

$$\tau[\ell^1 \mathbf{skip} \ell^2] \stackrel{\text{def}}{=} \{(\ell^1, \rho) \rightarrow (\ell^2, \rho) \mid \rho \in \mathcal{E}\}$$

$$\tau[\ell^1 X \leftarrow e \ell^2] \stackrel{\text{def}}{=} \{(\ell^1, \rho) \rightarrow (\ell^2, \rho[X \mapsto v]) \mid \rho \in \mathcal{E}, v \in \mathbb{E}[\![e]\!] \rho\}$$

$$\begin{aligned} \tau[\ell^1 \mathbf{if} \ e \ \mathbf{then} \ \ell^2_{s_1} \ \mathbf{else} \ \ell^3_{s_2} \ell^4] &\stackrel{\text{def}}{=} \\ &\{(\ell^1, \rho) \rightarrow (\ell^2, \rho) \mid \rho \in \mathcal{E}, \text{true} \in \mathbb{E}[\![e]\!] \rho\} \cup \\ &\{(\ell^1, \rho) \rightarrow (\ell^3, \rho) \mid \rho \in \mathcal{E}, \text{false} \in \mathbb{E}[\![e]\!] \rho\} \cup \\ &\tau[\ell^2_{s_1} \ell^4] \cup \tau[\ell^3_{s_2} \ell^4] \end{aligned}$$

$$\begin{aligned} \tau[\ell^1 \mathbf{while} \ \ell^2 \ e \ \mathbf{do} \ \ell^3_{s_1} \ell^4] &\stackrel{\text{def}}{=} \\ &\{(\ell^1, \rho) \rightarrow (\ell^2, \rho) \mid \rho \in \mathcal{E}\} \cup \\ &\{(\ell^2, \rho) \rightarrow (\ell^3, \rho) \mid \rho \in \mathcal{E}, \text{true} \in \mathbb{E}[\![e]\!] \rho\} \cup \\ &\{(\ell^2, \rho) \rightarrow (\ell^4, \rho) \mid \rho \in \mathcal{E}, \text{false} \in \mathbb{E}[\![e]\!] \rho\} \cup \tau[\ell^3_{s_1} \ell^4] \end{aligned}$$

$$\tau[\ell^1 s_1; \ell^2 s_2 \ell^3] \stackrel{\text{def}}{=} \tau[\ell^1 s_1 \ell^2] \cup \tau[\ell^2 s_2 \ell^3]$$

Defines the **small-step** semantics of a statement

(the semantics of expressions is still in denotational form)

# Special states

Given a labelled statement  ${}^{l_e}S^{l_x}$  and its transition system, we define:

- **initial states:**  $I \stackrel{\text{def}}{=} \{(l_e, \rho) \mid \rho \in \mathcal{E}\}$   
note that  $\sigma \rightarrow \sigma' \implies \sigma' \notin I$
- **blocking states:**  $B \stackrel{\text{def}}{=} \{\sigma \in \Sigma \mid \forall \sigma' : \in \Sigma, \sigma \not\rightarrow \sigma'\}$ 
  - **correct termination:**  $OK \stackrel{\text{def}}{=} \{(l_x, \rho) \mid \rho \in \mathcal{E}\}$   
note that  $OK \subseteq B$
  - **error:**  $ERR \stackrel{\text{def}}{=} B \cap \{(l, \rho) \mid l \neq l_x, \rho \in \mathcal{E}\}$

$$B = ERR \cup OK$$

$$ERR \cap OK = \emptyset$$

# Reminder: maximal trace semantics

**Trace:** in  $\Sigma^\infty$

(finite or infinite sequence of states)

- starting in an initial state  $I$
- following transitions  $\rightarrow$
- can only end in a blocking state  $B$  (traces are maximal)

i.e.:  $t[s] = t[s]^* \cup t[s]^\omega$  where

- **finite traces:**

$$t[s]^* \stackrel{\text{def}}{=} \{ (\sigma_0, \dots, \sigma_n) \mid n \geq 0, \sigma_0 \in I, \sigma_n \in B, \forall i < n: \sigma_i \rightarrow \sigma_{i+1} \}$$

- **infinite traces:**

$$t[s]^\omega \stackrel{\text{def}}{=} \{ (\sigma_0, \dots) \mid \sigma_0 \in I, \forall i \in \mathbb{N}: \sigma_i \rightarrow \sigma_{i+1} \}$$

# From traces to big-step semantics

Big-step semantics: abstraction of traces

only remembers the input-output relations

many variants exist:

- “angelic” semantics, in  $\mathcal{P}(\Sigma \times \Sigma)$ :

$$A[s] \stackrel{\text{def}}{=} \{(\sigma, \sigma') \mid \exists(\sigma_0, \dots, \sigma_n) \in t[s]^* : \sigma = \sigma_0, \sigma' = \sigma_n\}$$

(only give information on the terminating behaviors;  
can only prove partial correctness)

- natural semantics, in  $\mathcal{P}(\Sigma \times \Sigma_{\perp})$ :

$$N[s] \stackrel{\text{def}}{=} A[s] \cup \{(\sigma, \perp) \mid \exists(\sigma_0, \dots) \in t[s]^{\omega} : \sigma = \sigma_0\}$$

(models the terminating and non-terminating behaviors;  
can prove total correctness)

Exercise: compute the semantics of “while  $X > 0$  do  $X \leftarrow X - [0, 1]$ ”

# From big-step to denotational semantics

The angelic denotational and big-step semantics are **isomorphic**  
(isomorphism between relations and strict complete join morphisms)

$S[s] = \alpha(A[s])$  where

- $\alpha(X) \stackrel{\text{def}}{=} \lambda R. \{ \rho' \mid \rho \in R, ((\ell_e, \rho), (\ell_x, \rho')) \in X \}$  *(image of a relation)*
- $\alpha^{-1}(Y) = \{ ((\ell_e, \rho), (\ell_x, \rho')) \mid \rho \in \mathcal{E}, \rho' \in Y(\{\rho\}) \}$

Proof idea: by induction on the syntax of  $s$

$\implies$  **our operational and denotational semantics match**


Also, the denotational semantics is an **abstraction** of the natural semantics  
(it forgets about infinite computations)

## Thesis

All semantics can be compared for equivalence or abstraction

this can be made formal in the **abstract interpretation theory**  
(see [Cousot02])

# Semantic diagram



# Fixpoint formulation

Recall that traces can be expressed as fixpoints:

- $t[[s]]^* = (\text{lfp } F) \cap (I\Sigma^\infty)$  *( $\cap (I\Sigma^\infty)$  restricts to traces starting in  $I$ )*  
 where  $F(X) \stackrel{\text{def}}{=} B \cup \{(\sigma, \sigma_0, \dots, \sigma_n) \mid \sigma \rightarrow \sigma_0 \wedge (\sigma_0, \dots, \sigma_n) \in X\}$
- $t[[s]]^\omega = (\text{gfp } F) \cap (I\Sigma^\infty)$   
 where  $F(X) \stackrel{\text{def}}{=} \{(\sigma, \sigma_0, \dots) \mid \sigma \rightarrow \sigma_0 \wedge (\sigma_0, \dots) \in X\}$

This also holds for the **angelic denotational semantics**:

- $S[[s]] = \alpha(\text{lfp } F)$  *( $\alpha$  converts relations to functions)*  
 where  $F(X) \stackrel{\text{def}}{=} (B \times B) \cup \{(\sigma, \sigma'') \mid \exists \sigma' : \sigma \rightarrow \sigma' \wedge (\sigma', \sigma'') \in X\}$

and many others: natural, denotational, big-step, denotational,...

Thesis

All semantics can be expressed through fixpoints

(again [Cousot02])



# Higher-order programs

---

# Monomorphic typed higher order language

## PCF language (introduced by Scott in 1969)

<i>type</i>	$::=$	<b>int</b>	(integers)
		<b>bool</b>	(booleans)
		$type \rightarrow type$	(functions)
<i>term</i>	$::=$	$X$	(variable $X \in \mathbb{V}$ )
		$c$	(constant)
		$\lambda X^{type}. term$	(abstraction)
		$term term$	(application)
		$Y^{type} term$	(recursion)
		$\Omega^{type}$	(failure)

**PCF** (programming computable functions) is a  $\lambda$ -calculus with:

- a monomorphic type system (unlike ML)
- explicit type annotations  $X^{type}$ ,  $Y^{type}$ ,  $\Omega^{type}$  (unlike ML)
- an explicit recursion combiner **Y** (unlike untyped  $\lambda$ -calculus)
- constants, including  $\mathbb{Z}$ ,  $\mathbb{B}$  and a few built-in functions (arithmetic and comparisons in  $\mathbb{Z}$ , if-then-else, etc.)

# Semantic domains

## What should be the domain of $\mathbb{T}[\textit{term}]$ ?

Difficulty: *term* contains heterogeneous objects: constants, functions, second order functions, etc.

Solution: use the type information

each term  $m$  can be given a type  $\textit{typ}(m)$

use one semantic domain  $\mathcal{D}_t$  per type  $t$

then  $\mathbb{T}[m] : \mathcal{E} \rightarrow \mathcal{D}_{\textit{typ}(m)}$  where  $\mathcal{E} \stackrel{\text{def}}{=} \mathbb{V} \rightarrow (\bigcup_{t \in \textit{type}} \mathcal{D}_t)$

Domain definition by induction on the syntax of types

- $\mathcal{D}_{\textit{int}} \stackrel{\text{def}}{=} \mathbb{Z}_{\perp}$
- $\mathcal{D}_{\textit{bool}} \stackrel{\text{def}}{=} \mathbb{B}_{\perp}$
- $\mathcal{D}_{t_1 \rightarrow t_2} \stackrel{\text{def}}{=} (\mathcal{D}_{t_1} \xrightarrow{c} \mathcal{D}_{t_2})_{\perp}$

# Order on semantic domains

Order: all domains are **cpos**

- $\mathcal{D}_{\text{int}} \stackrel{\text{def}}{=} \mathbb{Z}_{\perp}$ ,  $\mathcal{D}_{\text{bool}} \stackrel{\text{def}}{=} \mathbb{B}_{\perp}$  use a **flat ordering**

- $\mathcal{D}_{t_1 \rightarrow t_2} \stackrel{\text{def}}{=} (\mathcal{D}_{t_1} \xrightarrow{c} \mathcal{D}_{t_2})_{\perp}$

with order  $f \sqsubseteq g \iff f = \perp \vee (f, g \neq \perp \wedge \forall x: f(x) \sqsubseteq g(x))$

- $\mathcal{D}_{t_1} \xrightarrow{c} \mathcal{D}_{t_2}$  is ordered point-wise
- each domain has its fresh minimal  $\perp$  element  
(to distinguish  $\Omega^{\text{int} \rightarrow \text{int}}$  from  $\lambda X^{\text{int}}.\Omega^{\text{int}}$ )
- we restrict  $\rightarrow$  to **continuous functions**  
(to be able to take fixpoints)

(see [Scott93])

# Denotational semantics

Environments:  $\mathcal{E} \stackrel{\text{def}}{=} \mathbb{V} \rightarrow (\bigcup_{t \in \text{type}} \mathcal{D}_t)$

Semantics:  $\mathbb{T} \llbracket m \rrbracket : \mathcal{E} \rightarrow \mathcal{D}_{\text{typ}(m)}$

$$\mathbb{T} \llbracket X \rrbracket \rho \stackrel{\text{def}}{=} \rho(X)$$

$$\mathbb{T} \llbracket c \rrbracket \rho \stackrel{\text{def}}{=} c$$

$$\mathbb{T} \llbracket \lambda X^t. m \rrbracket \rho \stackrel{\text{def}}{=} \lambda x. \mathbb{T} \llbracket m \rrbracket (\rho[X \mapsto x])$$

$$\mathbb{T} \llbracket m_1 m_2 \rrbracket \rho \stackrel{\text{def}}{=} (\mathbb{T} \llbracket m_1 \rrbracket \rho)(\mathbb{T} \llbracket m_2 \rrbracket \rho)$$

$$\mathbb{T} \llbracket \mathbf{Y}^t m \rrbracket \rho \stackrel{\text{def}}{=} \text{lfp} (\mathbb{T} \llbracket m \rrbracket \rho)$$

$$\mathbb{T} \llbracket \Omega^t \rrbracket \rho \stackrel{\text{def}}{=} \perp^t$$

- program functions  $\lambda$  are mapped to mathematical functions  $\lambda$
- program recursion  $\mathbf{Y}$  is mapped to fixpoints  $\text{lfp}$
- errors and non-termination are mapped to (typed)  $\perp$
- we should prove that  $\mathbb{T} \llbracket m \rrbracket$  is indeed continuous (by induction) so that  $\text{lfp}$  exists, and also that  $\mathbb{T} \llbracket m_1 \rrbracket$  is indeed a function (by soundness of typing)

## Operational semantics

Operational semantics: based on the  $\lambda$ -calculus

- states are terms:  $\Sigma \stackrel{\text{def}}{=} \text{term}$

- transitions correspond to **reductions**:

$$(\lambda X^t. m_1) m_2 \rightarrow m_1[X \mapsto m_2] \quad (\lambda\text{-reduction})$$

$$\Omega^t \rightarrow \Omega^t \quad (\text{failure})$$

$$\mathbf{Y}^t m \rightarrow m (\mathbf{Y}^t m) \quad (\text{iteration})$$

$$\text{plus } c_1 c_2 \rightarrow (c_1 + c_2) \quad (\text{arithmetic})$$

$$\text{if true } m_1 m_2 \rightarrow m_1 \quad (\text{if-then-else})$$

$$\text{if false } m_1 m_2 \rightarrow m_2 \quad (\text{if-then-else})$$

$$\frac{m_1 \rightarrow m'_1}{m_1 m_2 \rightarrow m'_1 m_2} \quad (\text{context rule})$$

...

- big-step semantics  $m \Downarrow$ : maximal reductions

$$m \Downarrow = m' \iff m \rightarrow^* m' \wedge \nexists m'' : m' \rightarrow m''$$

(PCF is deterministic)

# Links between operational and denotational semantics

How do we check that operational and denotational semantics match?

check that they have the same view of “semantically equal programs”

- denotational way: we can use  $T[[m_1]] = T[[m_2]]$
- we need an **operational** way to compare **functions**  
 comparing the syntax is too fine grained,  
Example:  $(\lambda X^{\text{int}}.0) \neq (\lambda X^{\text{int}}.\text{minus } 1 \ 1)$ , but they have the same denotation

Observational equivalence: observe terms **in all contexts**

- contexts  $c$ : terms with holes  $\square$
- $c[m]$  term obtained by substituting  $m$  in hole
- *ground* is the set of terms of type **int** or **bool**
- term **equivalence**  $\approx$ :  

$$m_1 \approx m_2 \stackrel{\text{def}}{\iff} (\forall c: c[m_1] \Downarrow = c[m_2] \Downarrow \text{ when } c[m_1] \in \text{ground})$$

(don't look at a function's syntax, force its full evaluation and look at the value result)

# Full abstraction

**Full abstraction:**  $\forall m_1, m_2: m_1 \approx m_2 \iff T[[m_1]] = T[[m_2]]$

**Unexpected result:** for PCF,  $\Leftarrow$  holds (adequacy), but **not**  $\Rightarrow$ !

(full abstraction concept introduced by Milner in 1975, proof by Plotkin 1977)

Compare with: **IMP**, **NIMP** are fully abstract

$\forall s_1, s_2 \in \text{stat}: S[[s_1]] = S[[s_2]] \iff \forall c: A[[c[s_1]]] = A[[c[s_2]]]$

Intuitive explanation:

Domains such as  $\mathcal{D}_{t_1 \rightarrow t_2}$  contain many functions, most of them do not correspond to *any* program (this is expected: many functions are not computable).

The problem is that, if  $m_1, m_2$  have the form  $\lambda X^{t_1 \rightarrow t_2}. m$ ,  $T[[m_1]] = T[[m_2]]$  imposes  $T[[m_1]] f = T[[m_2]] f$  for all  $f \in \mathcal{D}_{t_1 \rightarrow t_2}$ , including many  $f$  that are not computable.

It is actually possible to construct  $m_1, m_2$  where  $T[[m_1]] f \neq T[[m_2]] f$  only for some non-program functions  $f$ , so that  $m_1 \approx m_2$  actually holds

Two solutions come to mind:

- enrich the language to express more functions in  $\mathcal{D}_{t_1 \rightarrow t_2}$  (next slide)
- restrict  $\mathcal{D}_{t_1 \rightarrow t_2}$  to contain less non-program objects

Fruitful but complex research topic...



# Full abstraction

Example: the **parallel or** function *por*

$$por(a)(b) \stackrel{\text{def}}{=} \begin{cases} \text{true} & \text{if } a = \text{true} \vee b = \text{true} \\ \text{false} & \text{if } a = \text{false} \wedge b = \text{false} \\ \perp & \text{otherwise} \end{cases}$$

*por* can observe *a* and *b* concurrently, and return as soon as one returns true  
compare with sequential *or*, where  $\forall b: or(\perp)(b) = \perp$

We have the following non-obvious result:

- *por* cannot be defined in **PCF**  
(*por* is a parallel construct, **PCF** is a sequential language)
- **PCF**+*por* is fully abstract

(see [Ong95], [Winskel97] for references on the subject)

# Recursive domain equations

---

## Untyped higher order language

 $\lambda$ -calculus (*with arithmetic*)

<i>term</i>	::=	$X$	(variable $X \in \mathbb{V}$ )
		$c$	(constants)
		$\lambda X.term$	(abstraction)
		$term term$	(application)
		$\Omega$	(failure)

- we can write **truly polymorphic** functions: e.g.,  $\lambda X.X$   
(in **PCF** we would have to choose a type:  $\text{int} \rightarrow \text{int}$  or  $\text{bool} \rightarrow \text{bool}$  or  $(\text{int} \rightarrow \text{int}) \rightarrow (\text{int} \rightarrow \text{int})$  or ...)
- no need for a recursion combinator **Y**  
(we can define  $Y \stackrel{\text{def}}{=} \lambda F.(\lambda X.F(X X))(\lambda X.F(X X))$ , not typable in **PCF**)
- operational semantics based on reduction, similarly to **PCF**
- denotational semantics also similar to **PCF**, **but...**

# Domain equations

How to choose the domain of denotations  $\mathbb{T}[[m]]$ ?

- we need a unique domain  $\mathcal{D}$  for all terms  
(no type information to help us)
- $\lambda X.X$  is a function  
 $\implies$  it should have denotation in  $(\mathcal{X} \rightarrow \mathcal{Y})_{\perp}$  for some  $\mathcal{X}, \mathcal{Y} \subseteq \mathcal{D}$
- $\lambda X.X$  is polymorphic; it accepts any term as argument  
 $\implies \mathcal{D} \subseteq \mathcal{X}, \mathcal{Y}$

We have a **domain equation** to solve:

$$\mathcal{D} \simeq (\mathbb{Z} \cup \mathbb{B} \cup (\mathcal{D} \rightarrow \mathcal{D}))_{\perp}$$

**Problem:** no solution in set theory

( $\mathcal{D} \rightarrow \mathcal{D}$  has a strictly larger cardinal than  $\mathcal{D}$ )

# Inverse limits

Given a **fixpoint** domain equation  $\mathcal{D} = F(\mathcal{D})$   
 we construct an **infinite sequence of domains**:

- $\mathcal{D}_0 \stackrel{\text{def}}{=} \{\perp\}$
- $\mathcal{D}_{i+1} \stackrel{\text{def}}{=} F(\mathcal{D}_i)$

We require the existence of **continuous retractions**:

- $\gamma_i : \mathcal{D}_i \xrightarrow{\hookrightarrow} \mathcal{D}_{i+1}$  (embedding)
- $\alpha_i : \mathcal{D}_{i+1} \xrightarrow{\dashrightarrow} \mathcal{D}_i$  (projection)
- $\alpha_i \circ \gamma_i = \lambda x.x$  ( $\mathcal{D}_i \simeq$  a subset of  $\mathcal{D}_{i+1}$ )
- $\gamma_i \circ \alpha_i \sqsubseteq \lambda x.x$  ( $\mathcal{D}_{i+1}$  can be approximated by  $\mathcal{D}_i$ )

This is denoted:  $\mathcal{D}_0 \begin{array}{c} \xleftarrow{\alpha_0} \\ \xrightarrow{\gamma_0} \end{array} \mathcal{D}_1 \begin{array}{c} \xleftarrow{\alpha_1} \\ \xrightarrow{\gamma_1} \end{array} \dots$

**Inverse limit:**  $\mathcal{D}_\infty \stackrel{\text{def}}{=} \{(a_0, a_1, \dots) \mid \forall i: a_i \in \mathcal{D}_i \wedge a_i = \alpha(a_{i+1})\}$

(infinite sequences of elements; able to represent an element of any  $\mathcal{D}_i$ )

# Inverse limits

Inverse limits:  $\mathcal{D}_\infty \stackrel{\text{def}}{=} \{ (a_0, a_1, \dots) \mid \forall i: a_i \in \mathcal{D}_i \wedge a_i = \alpha(a_{i+1}) \}$

## Theorem

$\mathcal{D}_\infty$  is a cpo and  $F(\mathcal{D}_\infty)$  is isomorphic to  $\mathcal{D}_\infty$

Application to  $\lambda$ -calculus

If we restrict ourself to **continuous functions**

retractions can be computed for  $F(\mathcal{D}) \stackrel{\text{def}}{=} (\mathbb{Z} \cup \text{BU}(\mathcal{D} \xrightarrow{\zeta} \mathcal{D}))_\perp$

$(\gamma_i(f) \stackrel{\text{def}}{=} \lambda x. f$

$\alpha_i(x) \stackrel{\text{def}}{=} x$  if  $x \in \mathbb{Z} \cup \text{BU} \{ \perp \}$  and  $\alpha_i(f) \stackrel{\text{def}}{=} f(\perp)$  if  $f \in \mathcal{D}_i \xrightarrow{\zeta} \mathcal{D}_i$ )

$\implies$  we found our semantic domain!

(pioneered by [Scott-Strachey71], see [Abramsky-Jung94] for a reference)

# Restrictions of function spaces

The restriction to continuous functions seems merely technical but there are some valid justifications:

- all the denotations in **IMP**, **NIMP**, **PCF** were continuous  
(*this appeared naturally, not as an a priori restriction*)
- intuitively, computable functions should at least be **monotonic**  
recall that  $\sqsubseteq$  is an information order  
a function cannot give a more precise result with less information  
e.g.: if  $f(a) = \perp$  for some  $a \neq \perp$ , then  $f(\perp) = \perp$
- **continuity** is also reasonable  
given a problem on an infinite data set  $S$   
computers can only process finite parts  $S_i$  of  $S$   
continuity ensures that the solution of  $S$  is contained in that of all  $S_i$   
e.g.: if  $0 \sqsubseteq 1 \sqsubseteq \dots \sqsubseteq \omega$  and  $\forall i < \omega: f(i) = 0$ , then  $f(\omega)$  should also be 0

# Domain equations for data-types

Solution domains of recursive equations can also give the semantics of a variety of inductive or polymorphic data-types

Examples:

- integer lists:

$$\mathcal{D} = (\{\text{empty}\} \cup (\mathbb{Z} \times \mathcal{D}))_{\perp}$$

- pairs:

$$\mathcal{D} = (\mathbb{Z} \cup (\mathcal{D} \times \mathcal{D}))_{\perp}$$

(allows arbitrary nested pairs, and also contains trees and lists)

- records:

$$\mathcal{D} = (\mathbb{Z} \cup (\mathbb{N} \rightarrow \mathcal{D}))_{\perp}$$

(fields are named by integer position)

- sum types:

$$\mathcal{D} = (\mathbb{Z} \cup (\{1\} \times \mathcal{D}) \cup (\{2\} \times \mathcal{D}))_{\perp}$$

(we “tag” each case of the sum with an integer)



# Bibliography

## Courses and references on denotational semantics:

[Benton96] **P. N. Benton**. *Semantics of programming languages* In University of Cambridge, 1996.

[Winskel97] **G. Winskel**. *Lecture notes on denotational semantics*. In University of Cambridge, 1997.

[Schmidt86] **D. Schmidt**. *Denotational semantics. A methodology for language development*. In Allyn and Bacon, 1986.

[Abramsky-Jung94] **S. Abramsky and A. Jung**. *Domain theory*. In Handbook of Logic in Computer Science, Clarendon Press, Oxford, 1994.

# Bibliography

## Research articles and surveys:

[Scott-Strachey71] **D. Scott and C. Strachey.** *Toward a mathematical semantics for computer languages.* In Oxford Programming Research Group Technical Monograph. PRG-6. 1971.

[Scott93] **D. Scott.** *A type-theoretical alternative to ISWIM, CUCH, OWHY.* In TCS, 121(1–2):411–440, 1993.

[Cousot02] **P. Cousot.** *Constructive design of a hierarchy of semantics of a transition system by abstract interpretation.* In TCS, 277(1–2):47–103, 2002.

[Ong95] **C.-H. L. Ong.** *Correspondence between operational and denotational semantics: the full abstraction problem for PCF* In Oxford University, 1995.